

FO Pen Replacement cartridge for Neoclean for 2,5mm connectors E2000, FC, SC and ST (PC, UPC and APC)

tde - FO Cleaning Tools for Connectors and Adapters

The performance of the individual fiber optic connector on the network is increasingly playing a very important role, since the transfer rates to rise steadily. The available attenuation budgets can be quickly exhausted. Therefore, it is always very important that not only very high-quality connectors are used with optimized end surfaces, but dirt is avoided on the connector surfaces. Very often, however, if improperly applied connector cleaning more dirt or even damage the connector. Only the tools listed below guarantee a reliable connector cleaning.

The NEOCLEAN E is a dry cloth cleaning tool specifically designed to clean single fiber connectors residing in an adapter, faceplate or bulkhead. The dust cap of the cleaning tool acts as an adapter for cleaning unmated connectors. The NEOCLEAN E is refillable and simple to use. It is effective at removing oil and dust contamination that can negatively impact optical performance.



tde[®] trans data elektronik GmbH

Headquarter address:

Lingener Str. 2
D-49626 Bippen/Ohrte
Tel.: +49 5435 9511 0
Fax.: +49 5435 9511 32

Sales office address:

Prinz-Friedrich-Karl-Str. 46
D-44135 Dortmund
Tel.: +49 231 8805 61 13
Fax.: +49 231 8805 61 15

info@tde.de | www.tde.de

FO Pen Replacement cartridge for Neoclean for 2,5mm connectors E2000, FC, SC and ST (PC, UPC and APC)

Technical Data

Type	3 pcs. pen replacement cartridges for Neoclean 2.5 mm
Cleaning operations each replacement cartridge	Approx. 750

Product variants & accessories

Art.-No.	Description
L-CLEAN-NEO-1.25	FO Neoclean for 1,25mm connectors LC, MU (PC, UPC and APC)
L-CLEAN-NEO-1.25-EB	FO Pen Replacement cartridges for Neoclean for 1,25mm connectors LC, MU (PC, UPC and APC)
L-CLEAN-NEO-2.5	FO Neoclean for 2,5mm connectors E2000, FC, SC and ST (PC, UPC and APC)
L-CLEAN-NEO-2.5-EB	FO Pen Replacement cartridge for Neoclean for 2,5mm connectors E2000, FC, SC and ST (PC, UPC and APC)